

CASIO®

Introductory Graphics Calculator Workshop

Using the Casio CFX-9850GB PLUS

Casio Education Division
Ph (02) 9370 9100
Fax (02) 9417 8957
Email casio.edusupport@shriro.com.au

GETTING STARTED WITH THE CFX-9850 GB PLUS

Turning ON

- Press the AC/^{ON} key.

When you turn your CFX 9850 on, you will see the main menu screen. Each icon on the main menu screen stands for a MODE on the calculator.



Below is a short summary of the main purpose(s) of each mode.

RUN – The scientific calculator

STAT – For statistical calculations

MAT – To enter, and perform row/column operations upon, matrices

LIST – To manipulate lists (can also be done in STAT mode) or change List Files.

GRAPH – To graph and analyse functions, parametric graphs and polar graphs.

DYNA – To look at the effect of a changing constant on the graph of a function.

TABLE – Will produce a table of values for any function.

RECUR – To produce tables and graphs from and analyse recursive relations.

CONICS – To graph and analyse conics.

EQUA – Will solve simultaneous equations and polynomials. Also contains an equation solver to find the value of any pronumeral in an equation.

PRGM – Program mode. Use this mode to write programs. Stores and executes programs also.

TVM – Time Value of Money. For financial calculations.

LINK – Allows the calculator to link to a PC or another calculator to transfer programs and data.

CONT – Contrast. Adjusts the contrast and colour balance.

MEM – Memory. Shows memory usage and allows you to reset individual memories or the entire calculator. Note that resetting the calculator will delete stored data and programs.

Resetting the Calculator

Resetting the calculator serves two main purposes:

1. It clears any previous operations that the current user may not be familiar with or want to use.
2. It returns the calculator to its initial default settings.

- ◆ To reset the calculator, using the arrow keys highlight the MEM (memory) icon and press the blue EXE key. To select RESET, use the down arrow followed by EXE. Press YES (F1) followed by the MENU key to return back to the menu screen.

```
Memory
Memory Usage
Reset

To Select:[↑][↓]
To Set   :[EXE]
```

```
*****
*      RESET      *
*****

RESET ALL MEMORIES?

[F1]                      [F6]
YES  RESET ALL          NO
```

The Function Keys – F-Key(s)

To use the calculator effectively, it is important to understand how the function keys work, that is the F1 to F6 keys. These keys actually correspond to options that appear along the bottom of the calculator screen once a mode has been entered. This is illustrated in the screen shown opposite which is in the GRAPH mode. These functions keys are continuously used and you should be very familiar with how they work.

```
Graph Func :Y=
MEM
Y2:
Y3:
Y4:
Y5:
Y6:
[SEL] [DEL] [TYPE] [CLR] [MEM] [DRAW]

F1 F2 F3 F4 F5 F6
```

Other important keys:

(-) is the change of sign key and should only be used for this purpose

◀▲▶ The four arrow keys to move the cursor around the screen

EXE should be pressed to enter a mode and also after typing information into the calculator

EXIT will take you back a step

MENU will take you back to the main menu

THE SCIENTIFIC CALCULATOR



The **CFX-9850 GB PLUS** has identical capabilities to that of a scientific calculator. It has a keyboard almost identical to that of a scientific calculator. All those operations performed on a scientific calculator can be accessed using the RUN mode (MENU 1). To complete a calculation, first type an expression into the command line and press the blue EXE key to execute the command. The EXE key (located in the bottom right hand corner) replaces the '=' key on the scientific calculator.

- ◆ The yellow SHIFT key enables the user to access the yellow (secondary) functions located above the calculator keys.
- ◆ Casio Scientific and Graphic Calculators use S-VPAM (Super Visually Perfect Algebraic Method), that is 'how you say / write it, is how you enter it'. For example, the square root of 12 is entered by SHIFT then X^2 followed by 12, i.e. $\sqrt{12}$.
- ◆ The power (exponentiation) function is accessed using the \wedge key (next to the EXIT key). For example, 2^6 is entered as $2 \wedge 6$ followed by EXE.
- ◆ The (red) ALPHA key will allow you to access the red secondary functions.
- ◆ The F \leftrightarrow D key converts a fraction to a decimal or a decimal to a fraction once a calculation has been completed (non terminating decimals are not included!).

The Run Mode

Enter into the RUN mode from the main menu by using the arrows to highlight the RUN mode then press EXE, or from the main menu simply press 1.



Because the calculator has been reset, it has returned to its initial default settings. To examine the default settings of the RUN mode press SHIFT then MENU (SETUP).



Notice, for example, that the default setting for an angle is currently radians. Scroll down the screen, using the arrows, to highlight Angle. At the bottom of the screen you have three options for Angle:

Deg (degrees), Rad (radians) and Gra (gradients)
 F1 F2 F3

Press the F-key that corresponds to degrees (i.e. F1) and note that the option has now been changed on your screen. Press the EXIT key, then enter $10\cos 60$ and press EXE.



Note that you have now changed the angle setting of the calculator to degrees. The calculator will remain in degrees until you either reset the calculator or alter the setting as you have recently done.

Memories

Results can be stored in one of twenty six variable memories by using the \rightarrow key followed by any of the letters A – Z. Recall, that to access a letter first press the red ALPHA key followed by the corresponding letter that you want to use, then press the EXE key.

(N.B: the letters are in red and are secondary key functions).

6 \rightarrow L	6
7.5 \rightarrow B	7.5
2.3 \rightarrow H	2.3

LB	45
LBH	103.5
L(1+B-2H)	23.4

The calculator understands the mathematical syntax, such that LB is interpreted as L x B.

Number patterns – A.P's and G.P's

The last command line is automatically stored in the Independent Memory. Useful and practical applications of this feature involve generating Arithmetic or Geometric Progressions, generating Time Payment or Superannuation sequences.

Store the first term of the sequence by entering the number then pressing EXE. For example, to generate an A.P enter the first term 5 EXE, then enter the common difference + 7, then press EXE repeatedly; this will generate the A.P which has been constructed.

5	5
Ans+7	12
	19
	26
	33

40	40
Ans \times 0.5	20
	10
	5
	2.5

5000 \times 1.05-500	4750.00
Ans \times 1.05-500	4487.50
	4211.88
	3922.47
	3618.59

1000 \times 1.06	1060.00
Ans+1000 \times 1.06	2120.00
	3180.00
	4240.00
	5300.00

GRAPHING FUNCTIONS




Enter the GRAPH mode from the main menu.

The Key

The variable key is located just under the red ALPHA key. This key is the only key to be used when entering a variable in an equation.

The View-Window

The view-window option displays the dimensions and scale of the axes that appear on the calculator screen. To access this screen, press SHIFT F3. There are three default windows that are set up for you already. These are INITIAL (F1), TRIGONOMETRY (F2) and STANDARD (F3). The default setting is INITIAL.






Press EXIT to leave this screen.

Drawing a Function


Type into Y1 the equation $.1X(X+3)(X-3)$ then press EXE to store the function. To draw, press DRAW (F6).

Trace the function by pressing TRACE (SHIFT F1). By using the left and right arrows, you can trace the graph. Use the trace function to find the roots of this equation.





G-Solve

G-Solve stands for Graph Solve. To access G-Solve press SHIFT then F5. With G-Solve, you can find roots, maximums, minimums, the y intercept, intersection points, as well as perform integrations. Press F1 (ROOT) to find the first root of the equation. To access the second and third roots, press the right arrow key.



Integration

Press G-SOLV (SHIFT F5) then F6 (the continuation key) and finally $\int dx$ (F3). Use the left arrow key to set the lower limit at $X=-3$ then press EXE. Set the upper limit at $X=0$ and press EXE.




Finding the gradient of the tangent at a point

Press SHIFT MENU to enter the SETUP of the graph mode. Highlight **Derivative**, and press ON (F1). Press EXIT and DRAW (F6) then trace the function again by pressing TRACE (SHIFT F1). This will now show the derivative at each point on the function.

```

Draw Type      :Connect.
Graph Func     :On
Dual Screen    :Off
Simul Graph    :Off
Derivative     :On
Background     :None
Plot/Line      :Blue   ↓
On | Off
    
```





Graphing The First and Second Derivative

To graph the derivative of this function, press EXIT to allow you to type in another function and highlight Y2. Press OPTN, CALC, d/dx (F1). Then press VARS, GRPH (F4), Y (F1). Then type 1, X and close the brackets. Press EXE and DRAW (F6). You can trace these graphs by pressing TRACE (SHIFT F1). To trace the graph of the derivative, press the down arrow. It is possible to draw the derivative in a different colour than the original function.

```

Graph Func     :Y=
Y1 0.1X(X+3)(X-3)
Y2 d/dx(Y1,X)
Y3
Y4
Y5
Y6
[SEL] [DEL] [TYPE] [COL] [F6] [DRAW]
    
```



It is possible to draw the second derivative of the function using the same process.

Zooming and Sketching


Once you have drawn a particular function, by pressing SHIFT F2 you will activate the Zoom option. This allows the user to zoom in or out from a particular point on the function by a given or specified factor. It will also allow the user to zoom in on a specific part of the graph, for example a root or point of intersection.

Again, once a function has been drawn, you can activate the Sketch option by pressing SHIFT F4. Using this option allows us to sketch tangents, normals, inverse functions, draw a circle with a specified radius, sketch vertical and horizontal lines and more!


Absolute Value Graphs

To draw an absolute value function first press OPTN followed by NUM (F5) then Abs (F1). If there is more than one term in the function to be sketched, make sure that brackets are used after the Abs notation.

```
Graph Func :Y=
Y1|Abs (X2-2)
Y2|
Y3|
Y4|
Y5|
Y6|
|SEL DEL TYPE CLR MEM DRAW
```




```
Graph Func :Y=
Y1|Abs (X+1)
Y2|Abs (X-2)
Y3|
Y4|
Y5|
Y6|
|SEL DEL TYPE CLR MEM DRAW
```



Inequalities

From the text screen in the GRAPH mode, press TYPE (F3) then the continuation key (F6) and the options for sketching inequalities will appear on the screen. Press Y> (F1) and note the change at the top of the screen. Enter the equations as shown below, draw and observe the region satisfied by the two inequalities.

```
Graph Func :Y<
Y1|X2-2
Y2|X
Y3|
Y4|
Y5|
Y6|
|SEL DEL TYPE CLR MEM DRAW
```




Families of Functions / Restricted Domains

The GRAPH will allow us to investigate families of functions in a very purposeful and constructive manner. For example, if a student wants to understand the effect of the addition of a constant in a quadratic function.

The { } parentheses, secondary functions above the multiplication and division keys, allow us to construct and draw a family of functions. To complete this investigation make $Y1 = x^2 + \{-2, -1, 0, 1, 2\}$, store and draw the function using the initial view window. Note that all five functions will be draw on the same coordinate plane.

```
Graph Func :Y=  
Y1[X^2+(-2,-1,0,1,2)  
Y2:  
Y3:  
Y4:  
Y5:  
Y6:  
[SEL DEL TYPE CLR MEM DRAW
```



To restrict the domain of a function use the 'square' parentheses [].

```
Graph Func :Y=  
Y1[X^2-2,[-2,1]  
Y2[X,[1,2]  
Y3:  
Y4:  
Y5:  
Y6:  
[SEL DEL TYPE CLR MEM DRAW
```

GRAPHING FUNCTIONS

Sketching Trigonometric Functions

Before sketching a trig function you must decide whether to sketch in *degrees* or *radians*. For the purposes of this example, it is imperative that we sketch in radians.

From the RUN mode enter the SET UP (SHIFT MENU) and check that the Angle setting of the calculator is set to radians. If not, scroll down using the down arrow to Angle, then press Rad (F2).

```

Mode           :Comp
Func Type     :Y=
Draw Type     :Connect
Derivative    :Off
Angle         :Rad
Coord         :On
Grid          :Off
[Deg] [Rad] [Gra]
  
```

EXIT the SET UP, press MENU and enter into the GRAPH mode of the calculator (MENU 5). Once in the GRAPH mode, alter the View-Window (SHIFT F3) to the TRIG (F2) setting.

```

View Window
Xmin : -9.42477796
max  : 9.42477796
scale: 1.57079632
Ymin : -1.6
max  : 1.6
scale: 0.5
[INIT] [TRIG] [STD] [STO] [RCL]
  
```

Note that the default trig setting sketches the trig function for $\{x: -3\pi \leq x \leq 3\pi\}$

Press EXIT to return to the text screen. Use the functions available in the GRAPH mode to sketch $y = \sin x$, and find its derivative in the given domain.


To enter the 'd/dx' symbol press OPTN then CALC (F2) (to access the calculus options) followed by F1 (d/dx).

You may wish to draw Y2 in a different colour. If so, press COLR (F4) then choose the colour that you want to use. Orange (F2) is an excellent contrast to blue or green. To draw the two functions press DRAW (F6).

```

Graph Func :Y=
Y1: sin X
Y2: d/dx(Y1,X)
Y3:
Y4:
Y5:
Y6:
[SEL] [DEL] [TYPE] [COLR] [ZMEM] [DRAW]
  
```

To enter the 'Y' symbol press VARS (variables) then GRPH (F4) followed by Y (F1). Notice that the graph of $\cos x$ has been drawn against the graph of $\sin x$, exposing the result that the first derivative of $\sin x$ w.r.t x is actually $\cos x$.



GRAPHING FUNCTIONS

Dynamic Graphing

Enter the DYNA mode of the calculator from the main menu (MENU 6). Type in the equation $A\sin X$.

```
Dynamic Func:Y=
Y1:Asin X
Y2:
Y3:
Y4:
Y5:
Y6:
|SEL|DEL|TYPE|VAR|B-IN|RC|
```

Dynamic mode will allow us to assign a range of values to this variable, A, and establish the manner in which the variable effects the function.

Press VAR (F4) then RANG (F2) to select the range of the variable A. Set the start at -2 , End at 2 , and pitch as 1 as shown.

```
Y1=Asin X
Dynamic Range
A
Start:-2
End :2
Pitch:1
```

Press EXIT when you have done this then V-Window (SHIFT F3) and set your View-Window as it is shown here.

```
View Window
Xmin :-5.40
max :5.40
scale:90
Ymin :-4
max :4
scale:0.5
|INIT|TRIG|STD|STO|RC|
```

Press EXIT when you have finished then VARS (F4) then DYNA (F6). The calculator will draw the five graphs $Y=-2\sin X$, $Y=-1\sin X$, $Y=0\sin X$, $Y=\sin X$ and $Y=2\sin X$.

To change the speed, press The function keys F1 – F4 are different speeds that the user may access. By pressing F1 you can control the speed by pressing F1 to go from one graph to another. (NB the default speed is F3.)

You may now want to try the function $Y=\sin (AX)$

STATISTICS

The following data is a set of marks for 7 students out of 40.

35, 20, 24, 28, 26, 22, 24

Enter STAT mode, and then enter the test scores into List 1 (type in the number followed by EXE).

	List 1	List 2	List 3	List 4
1	35			
2	20			
3	24			
4	28			
5	26			
				35.

GRAPH CALC TEST OPTN DIST

Press CALC (F2) then 1VAR (F1) to display the summary statistics. Scroll down the screen using the arrow key to check those statistics not initially displayed.

1-Variable	
\bar{x}	=25.5714285
Σx	=179
Σx^2	=4721
$x\sigma n$	=4.53107186
$x\sigma n-1$	=4.89411697
n	=7

1VAR 2VAR REG SET

To convert these test scores to marks out of 100, exit back to the list and move the cursor to the top of List 2 (making sure that List 2 is highlighted). Press the OPTN key followed by List (F1) twice. Enter the operation '1 x 2.5' and press EXE. The scores in List 2 are now /100.

	List 1	List 2	List 3	List 4
1	35			
2	20			
3	24			
4	28			
5	26			

List 1x2.5

List L→M Dim Fill Seq

	List 1	List 2	List 3	List 4
1	35	87.5		
2	20	50		
3	24	60		
4	28	70		
5	26	65		
				88.

List L→M Dim Fill Seq

To sort these in ascending or descending order, press EXIT twice to go back to the original options (GRPH, CALC, TEST etc) followed by F6 to look at the other options. Choose F1 or F2, then enter 2 EXE (for two lists), then 1 EXE (for the base list) followed by 2 EXE (for the second list).

	List 1	List 2	List 3	List 4
1	35	87.5		
2	20	50		
3	24	60		
4	28	70		
5	26	65		

H?

How Many Lists?(H)

	List 1	List 2	List 3	List 4
1	35	87.5		
2	28	70		
3	26	65		
4	24	60		
5	24	60		
				88.

SRTA SRTD DEL DELT INS

STATISTICS

Comparing data sets with box and whisker plots

Resting Heart Rate – RHR

Active Heart Rate – ACR

RHR 67, 69, 72, 68, 74

ACR 82, 85, 98, 80, 97

Enter into the STAT mode, then enter the resting and active heart rates into List1 and List 2 respectively.

	List 1	List 2	List 3	List 4
1	67	82		
2	69	85		
3	72	98		
4	68	80		
5	74	97		

GRAPH CALC TEST MATH DIST

Select the GRPH (F1) command followed by SET (F6) to determine the type of graph that you want to select.

	List 1	List 2	List 3	List 4
1	67	82		
2	69	85		
3	72	98		
4	68	80		
5	74	97		

GRAPH1 GRAPH2 GRAPH3 SEL SET

StatGraph1	
Graph Type	:Scatter
XList	:List1
YList	:List2
Frequency	:1
Mark Type	:*
Graph Color	:Blue

GRAPH1 GRAPH2 GRAPH3

To set StatGraph1 scroll down to Graph Type, press the continuation key (F6), followed by F2 to select a Median Box Plot. Scroll back to the top of the screen and press StatGraph2 (F2), then select another Median Box Plot. Importantly, continue to scroll down the screen to XList and select List2 (F2) and change the colour of StatGraph2 if you desire.

StatGraph1	
Graph Type	:MedBox
XList	:List1
Frequency	:1
Graph Color	:Blue
Outliers	:Off

GRAPH1 GRAPH2 GRAPH3

StatGraph2	
Graph Type	:MedBox
XList	:List2
Frequency	:1
Graph Color	:Green
Outliers	:Off


GRAPH1 GRAPH2 GRAPH3

Now, press the EXIT key followed by SEL (F4) to select both graphs drawn at the same time. (StatGraph1 will be On, scroll down to StatGraph2 and turn On using F1).

StatGraph1	:DrawOn
StatGraph2	:DrawOn
StatGraph3	:DrawOff

On Off DRAW

Press DRAW (F6) to view the two median box plots simultaneously. Trace the graphs (SHIFT F1) to obtain and record their respective five number statistical summaries.



FINANCIAL MATHEMATICS

Annuities and Loan Repayments

Amortisation describes the process used to calculate the principal to interest portion of an installment (for example monthly), the remaining principal and the amount of principal and interest repaid up to any point to repay a debt.

Defined as: Amortise – gradually extinguish (debt) by money regularly put aside.


OPTIONS AVAILABLE IN F4 – AMORTISATION

- BAL** - balance of principal remaining after installment PM2
- INT** - interest portion of installment PM1
- PRN** - principal portion of installment PM1
- ΣINT** - total interest from installment PM1 to payment of installment PM2
- ΣPRN** - total principal from installment PM1 to payment of installment PM2

Loan schedule 1


Initially, consider the repayments required to repay a loan of \$200,000.00 at 6.5% p.a, repaid monthly (and compounded monthly) over a 30-year period.

Enter the TVM module from the main menu, then press Compound Interest (F2)
Perform the following key operations from the input screen:



- n = 30 x 12 EXE (360 months)
- i% = 6.5 EXE (6.5% p.a)
- PV = 200 000 EXE (Purchase Value = \$200 000)
- PMT = arrow down
- FV = 0 EXE (Future Value = \$0)
- P/Y = 12 EXE (Payments per year)
- C/Y = 12 EXE (Compounded monthly)

Press PMT (F4) to evaluate the amount of each payment for the period of the loan.



Press AMT (F4) to enter into the Amortisation module.

- PM1 = initial installment
- PM2 = final installment

We can use PM1 to evaluate the proportion of interest : principal of any repayment for the course of the loan. Additionally, PM2 can be used to isolate any period of the loan to evaluate the proportion of the sum of interest : principal, and show the balance remaining on the loan after the installment PM2.

Make PM1 = 1 and PM2 = 12. This will allow us to consider the following:

For PM1 = 1 the proportion of interest : principal for the first installment of the loan.

For PM2 = 12 the proportion of the sum of interest : principal for the first year of the loan, and the balance remaining on the loan after the first year.

```
Amortization:End
PM1=0
PM2=0
n =360
I% =6.5
PV =200000
PMT=-1264.136047 ↓
|BAL |INT |PRN |ΣINT |ΣPRN |MPO|
```

```
Amortization:End
PM1=1
PM2=12
n =360
I% =6.5
PV =200000
PMT=-1264.136047 ↓
|BAL |INT |PRN |ΣINT |ΣPRN |MPO|
```

For the \$1264.14, the amount of each installment to be made on the loan, identify how much of the first installment is absorbed as interest and how much of the installment goes toward reducing the principal, press INT (F2), REPT (F1), PRN (F3).

```
Amortization:End
INT=-1083.333333
|REPT |MPO |GRPH|
```

```
Amortization:End
PRN=-180.8027137
|REPT |MPO |GRPH|
```

To evaluate how much interest and principal is paid off the loan in the first year, and the balance remaining on the loan at the end of the first year press ΣINT (F4), REPT (F1), ΣPRN (F5), REPT (F1) then BAL (F1)

```
Amortization:End
ΣIN=-12934.18163
|REPT |MPO |GRPH|
```

```
Amortization:End
ΣPR=-2235.450938
|REPT |MPO |GRPH|
```

```
Amortization:End
BAL=197764.5491
|REPT |MPO |GRPH|
```

After establishing the balance remaining after the first year, press GRPH (F6) to view the cash flow graph and press TRACE (SHIFT F1).

Loan Schedule 2

Let's assume that we can afford to pay off more than the minimum amount of \$1264.14 each month. Assume that we can afford to pay \$2000.00 per month.

Return to the initial Compound Interest Screen and change the payment to PMT= -2000, which is \$2000.00 per month. Now press n (F1) (number of months).

```
Compound Interest:End
n = 360
I% = 6.5
PV = 200000
PMT = -1264.136047
FV = 0
P/Y=12
┌ n | I% | PV | PMT | FV | AMT |
└───┴───┴───┴───┴───┴───┘
```

```
Compound Interest:End
n = 360
I% = 6.5
PV = 200000
PMT = -2000
FV = 0
P/Y=12
┌ n | I% | PV | PMT | FV | AMT |
└───┴───┴───┴───┴───┴───┘
```

```
Compound Interest:End
n = 144.4190002
┌ REPT | AMT | GRPH |
└───┴───┴───┘
```

Now, continue to the Amortisation module and perform identical operations as per **Loan Schedule 1** and complete the following table.

(installment 1 / year1)	Loan Schedule 1	Loan Schedule 2
PMT	1264.14	
INT		
PRN		
ΣINT		
ΣPRN		
BAL		
Trace cash flow curve	Interest / Principal	Interest / Principal
N = 13		
N = 25		
N = 61		
N = 121		
N = 144		



N.B: Notice that $PMT = INT + PRN$
 $200,000 = \Sigma PRN + BAL$

SOLVING LINEAR AND NON-LINEAR EQUATIONS

The calculator is able to provide numerical approximations to solutions, but cannot give *exact* results where the solutions are irrational.

SIMULTANEOUS EQUATIONS

Press MENU A to enter EQUA mode then press F1 to select simultaneous equations.





Systems of equations with up to six unknowns can be solved using this feature. Initially lets consider a relatively simple 2 x 2 system.


$$2A + B = 7$$

$$A - B = 5$$

Enter into the calculator the coefficients of the variables by first selecting the number of unknowns i.e. two (F1) then entering the respective coefficients followed by EXE. Notice that the coefficients are entered in rows not columns.



To solve this simultaneous equation press SOLV (F1), and it presents the point of intersection of the two linear functions.



POLYNOMIAL EQUATIONS

After selecting EQUA press Polynomial (F2) so that we may find the solution(s) to either a quadratic or cubic polynomial, (the degree of the polynomial is the power of the leading term in the polynomial).



A quadratic polynomial has a degree of two; a cubic polynomial has a degree of three; a quartic four and so on.

Consider the solutions to the following two polynomials.

$$x^2 + 3x + 2 = 0 \dots(1)$$


$$2x^3 + x^2 = 1 + 2x \dots(2)$$

To solve equation 1 press F1 (to select a polynomial of degree 2). Then enter in the appropriate coefficients into the calculator. Following this press SOLV (F1) to present the obvious solutions $x = -1$ and -2 .



To solve equation 2 EXIT back to the initial Polynomial screen and select F2 (for a cubic polynomial).

Now, before we can solve this polynomial we must first rearrange the polynomial into an appropriate format i.e. $2x^3 + x^2 - 2x - 1 = 0$. Now enter the coefficients into the calculator as done previously to obtain the solutions $x = -1, -0.5, 1$.



It is possible to find the solutions to polynomials with imaginary solutions, such as $X^2+2=0$ or $x^3+x=0$. Remember that $i^2=-1$.

EQUATION SOLVER

Given that $V=U+AT$ and $U=0$, $V=50$ and $A=10$ find T .

Enter EQUA from the main menu then Solver (F3).

Type in the equation $V = U + AT$.

```
Ea: V=U+AT
U=0
U=0
A=0
T=0
RCL DEL SOLV
```

NB: To type letters press the ALPHA key then the key with the appropriate red letter on top of it. The equals sign is accessed by pressing SHIFT •.

Enter the appropriate value for each variable, highlight T and press SOLV (F1).

```
Ea: V=U+AT
U=50
U=0
A=10
T=0
RCL DEL SOLV
```

```
Ea: V=U+AT
T=5
Lft=50
Ret=50
REPT
```

Days Calculation

How old are you?

Enter the TVM mode then press the continuation key (F6) and Days Calculation (F2)

For d1, enter the date you were born. It must be entered as follows 'month.dateyear'.

Eg: If you were born on the 7th of June 1967, you would enter 6.071967

For d2, enter today's date.

Press PRD (F1) to find out how many days you have been alive.

```
Days Calculation:365
d1 =6.071967
d2 =2.252000
D =1
PRD |<|+D|<|-D
```

```
Days Calculation:365
Prd=11951
REPT
```

Troubleshooting

Problem: No graph is coming up on my screen in the graph or dynamic mode.

Solution: Press SHIFT F3 then F1 then EXE. Draw the graph. Press SHIFT F2 then choose F4 until you can see the graph. Alternatively, press SHIFT F2 then F5.

Problem: No graph is coming up on my screen in the statistics mode

Solution: Press SHIFT MENU then F1 for Auto then EXE.

Problem: I am entering a trigonometry operation and I'm getting the wrong answer.

Solution: Press SHIFT MENU and check the Angle units are correct. To change them, highlight Angle then press the appropriate Function key then EXE.

Problem: My graph is drawing but there are no axes.

Solution: Press SHIFT MENU then go down to Axes then press F1 and EXE.

Problem: When I type my function in to graph it comes up Syn Error.

Solution: You have used the wrong syntax somewhere. It may be the wrong X key, that is, you may have used the times key accidentally. It may also have been you used the change of sign key (-) instead of the minus key.

Problem: I can't get rid of an error message.

Solution: Press AC

Problem: When I use G-Solv, it won't give me an answer.

Solution: If a solution isn't on showing on the screen, G-Solv will not find it. Press SHIFT F2 then F4 until the answer should be on the screen then use G-Solv. If it gives one answer, press the right arrow key to move to the next answer.

Problem: When I try to find the statistics it comes up Dim Error.

Solution: First press AC then F2 and F6 (Set). Make sure 1Var Xlist is List 1 and 1Var Ylist is 1. Press EXE then F1 (1Var).

Problem: When I try to draw a graph it comes up Dim Error.

Solution: This means the calculator is looking for data where there isn't any. Check how you set up the graphs again. Press AC to get rid of the Error message.

Problem: When I try to do something like List 1÷100 it comes up Ma Error.

Solution: It means you have not highlighted the name of the list you want to fill. Or you may be trying to do something impossible mathematically like divide by zero.

Problem: When I'm in equation solver mode, it will only give me one answer.

Solution: In this mode, the calculator will only ever give one solution, the closest value to the initial value. Try a different initial value for your unknown.

Problem: When I'm doing a compound interest question in the finance mode I am not getting the correct answer.

Solution: Check that you have the correct sign in front of PV, PMT and FV. Remember it could be positive or negative.